



YDRQ8.E168970

Tubing, Mechanical Protection Certified for Canada - Component

[Page Bottom](#)

Tubing, Mechanical Protection Certified for Canada - Component

[See General Information for Tubing, Mechanical Protection Certified for Canada - Component](#)**REIKU GMBH**

E168970

ROBERT-BOSCH-STRASSE 3
51674 WIEHL-BOMIG, GERMANY**Thermoplastic tubings**, Cat. Nos. PARNB-17F, -23G, -29G, -36G, -48G, -70G, -95G, PARNG-17F, -23G, -29G, -36G, -48G, -70G, -95G, PARVB-17G, -23G, -29G, -36G, -48G, -70G, -95G, PARVG-17G, -23G, -29G, -36G, -48G, -70G, -95G.**Fittings**

45° Elbow: Cat. Nos. PAAOB/G-07M101, -07M12, -07M16, -07M20, -07P07, -07P09, -07P11, -07P13, -07G00, -10P09, -12P11, 17P16, -23P21, -29P29.

90° Elbow Flange: Cat. Nos. PAFOB/G-17, -23, -29, -36, -48.

Straight PA Connectors: Cat. Nos. PAGOB/G-07S13, -07M101, -07M12, -07M16, -07M20, -07P07, -07P09, -07P11, -07P13, -07G00, -10S15, -10M12, -10M16, -10M20, -10M20K, -10P07, -10P07K, -10P09, -10P09K, -10P11, -10P13, -12S19, -12M16, -12M20, -12P09, -12P11, -12P11K, -12P13, -12G02, -17S22, -17M20, -17M25, -17M32, -17P11, -17P13, -17P16, -17P16K, -17P21, -17G02, -23S28, -23S32, -23M25, -23M32, -23P16, -23P21, -29S37, -29M32, -29M40, -29P29, -36M40, -36M50, -36P29, -36P36, -48M50, -48M63, -48P42, -48P48, -52, -70, -95.

Connectors with Female Thread: Cat. Nos. PAIOB/G-07M081, -07M121, -07M16, -07P07, -07U05, -10M121, -10M16, -10M181, -10P07, -10P09, -10U05, -10U07, -10G00, -12M16, -12M20, -12P11, -12P13, -12U05, -12U06, -12U07, -12U09, -12U10, -12G01, -12G02, -17M20, -17P13, -17P16, -17U07, -17U09, -17U10, -17U11, -17U14, -17U17, -17G02, -23M25, -23P21, -23U14, -23U17, -23U18, -23G03, -29M32, -29P29, -29U18B, -29U24, -29G04, -36M40, -36P36, -48M50, -48P48.

90° Swivelable Elbow: Cat. Nos. PASOB/G-07M101, -07M12, -07M16, -07M20, -07P07, -07P09, -07P11, -07P13, -10M16, -10M20, -12M20, -17M25, -17P16, -23M32, -23P21, -52, -70, -95.

90° Elbow: Cat. Nos. PAWOB/G-07P07, -10M12, -10M16, -10M20, -10P07, -10P09, -10P11, -10P11K, -10P13, -12M16, -12M20, -12P09, -12P11, -12P13, -17M20, -17M25, -17O13, -17P16, -17G02, -23M25, -23P21, -29M32, -29P29, -29S37, -36M40, -36P36, -48M50, -48P48, -52, -70, -95.

45° Elbow: Cat. Nos. PMAOB/G-07P07, -10P09, -12P11, -17P16, -23P21, -29P29.

90° Elbow: Cat. Nos. PMWOB/G-10P09, -12M16, -12P11, -17M20, -17P13, -17P16, -23M25, -23P21, -29M32, -29P29, -36M40, -36P36, -48M50, -48P48.

Straight PA Connectors: Cat. Nos. PMGOB/G-07P07, -10M16, -10M20, -10P09, -12M16, -12M20, -12P11, 17M20, -17M25, -17P13, 17P16, -23M25, -23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

90° Swivelable Elbow: Cat. Nos. PMSOB/G-07P07.

45° Elbow: Cat. Nos. VMARB/G-10M16, -10P09, -12M16, -12M20, -12P11, -17M20, -17M25, -17P13, -17P16, -23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

90° Elbow: Cat. Nos. VMBRB/G-10M16, -10M20, -10P09, -10P11, -12M16, -12M20, -12P11, -17M20, -17M25, -17P13, -17P16, -23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

Straight VM Connectors: Cat. Nos. VMGRB/G-10M16, -10M20, -10P09, -12M16, -12M20, -12P11, -17M20, -17M25, -17P13, -17P16, -23M25, -23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

Smooth Tube Adapters: Cat. Nos. VMSVB/G-12/18, -17/20, -17/22, -17/25, 23/28, -29/32, -29/37, -36/40, -36/47, -48/59.

45° Elbow: Cat. Nos. VPARB/G-10M16, -10M20, -10P09, -10G01, -12M16, -12M20, -12P11, -12G01, -17M20, -17M25, -17P16, -17G02, -23M25, -23M32, -23P21, -23G03, -29M32, -29M40, -29P29, -29G04, -36M40, -36M50, -36P36, -36G05, -48M50, -48M63, -48P48, -48G07.

90° Elbow: Cat. Nos. VPBRB/G-10M16, -10M20, -10P09, -10P11, -10P13, -10G01, -12M16, -12M20, -12P11, -12P13, -12G01, -17M20, -17M25, -17P13, -17P16, -17G02, -23M25, -23M32, -23P21, -23G03, -29M32, -29M40, -29P29, -29G04, -36M40, -36M50, -36P36, -36G05, -48M50, -48M63, -48P48, -48G07, -48PG07.

Straight VW Connectors: Cat. Nos. VPGRB/G-10M12, -10M16, -10M20, -10P07, -10P07K, -10P09, -10P09K, -10P11, -10P11K, -10P13, -10G00, -12M16, -12M20, -12P09, -12P11, -12P11K, -12P13, -12G01, -12G02, -17M20, -17M25, -17M32, -17P11, -17P13, -17P16, -17P16K, -17P21, -17G02, -23M25, -23M32, -23P16, -23P21, -23G03, -29M32, -29M40, -29P29, -29G04, -36M40, -36M50, -36P29, -36P36, -36G05, -48M50, -48M63, -48P42, -48P48, -48G06, -48G07.

Push-In Tube Connectors: Cat. Nos. VPGVB/G-10S15, -12S19, -17S22, -23S28, -23S32, -29S37.

VP Connectors with Female Thread: Cat. Nos. VPIRB/G-10M121, -10M16, -10M181, -10P07, -10P09, -10U05, -10U07, -10G00, -12M16, -12M20, -12P11, -12P13, -12U05, -12U06, -12U07, -12U09, -12U10, -12G01, -12G02, -17M20, -17M25, -17P13, -17P16, -17U07, -17U09, -17U10, -17U11, -17U14, -17U17, -17G02, -23M25, -23M32, -23P21, -23U14, -23U17, -23U18, -23G03, -29M32, -29M40, -29P29, -29U24, -29G04, -36M40, -36M50, -36P36, -48M50, -48M63, -48P48.

Thermoplastic tubings, Cat. Nos. PAREB-17F, -23F, -29F, -36F, -48F; Cat. Nos. PAREG-17F, -23F, -29F, -36F, -48F.

Fittings

45° Elbow: Cat. Nos. PAAOB/G-07M101, -07M12, -07M16, -07M20, -07P07, -07P09, -07P11, -07P13, -07G00, -10P09, -12P11, -17P16, -23P21, -29P29.

90° Elbow Flange: Cat. Nos. PAFOB/G-17, -23, -29, -36, -48.

Straight PA Connectors: Cat. Nos. PAGOB/G-07S13, -07M101, -07M12, -07M16, -07M20, -07P07, -07P09, -07P11, -07P13, -07G00, -10S15, -10M12, -10M16, -10M20, -10M20K, -10P07, -10P07K, -10P09, -10P09K, -10P11, -10P11K, -10P13, -12S19, -12M16, -12M20, -12P09, -12P11, -12P11K, -12P13, -12G02, -17S22, -17M20, -17M25, -17M32, -17P11, -17P13, -17P16, 17P16K, -17P21, -17G02, -23S28, -23S32, -23M25, -23M32, -23P16, -23P21, -29S37, -29M32, -29M40, -29P29, -36M40, -36M50, -36P29, -36P36, -48M50, -48M63, -48P42, -48P48.

Connectors with Female Thread: Cat. Nos. PAIOB/G-07M081, -07M121, -07M16, -07P07, -07U05, -10M121, -10M16, -10M181, -10P07, -10P09, -10U05, -10U07, 10G00, -12M16, -12M20, -12P11, -12P13, -12U05, -12U06, -12U07, -12U09, -12U10, -12G01, -12G02, -17M20, -17P13, -17P16, -17U07, -17U09, -17U10, -17U11, -17U14, -17U17, -17G02, -23M25, -23P21, -23U14, -23U17, -23U18, -23G03, -29M32, -29P29, -29U18B, -29U24, -29G04, -36M40, -36P36, -48M50, -48P48.

*90° Swivelable Elbow: Cat. Nos. PASOB/G-07M101, -07M12, -07M16, -07M20, -07P07, -07P09, -07P11, -07P13, -17M25, -17P16, -23M32, -23P21, -52, -70.

90° Elbow: Cat. Nos. PAWOB/G-07P07, -10M12, -10M16, -10M20, -10P07, -10P09, -10P11, -10P11K, -10P13, -12M16, -12M20, -12P09, -12P11, -12P13, -17M20, -17M25, -17P13, -17P16, -17G02, -23M25, -23P21, -29M32, -29M29, -29S37, -36M40, -36P36, -48M50, -48P48, -52, -70.

45° Elbow: Cat. Nos. PMAOB/G-07P07, -10P09, -12P11, -17P16, -23P21, -29P29.

90° Elbow: Cat. Nos. PMWOB/G-10P09, -12M16, -12P11, -17M20, -17P13, -17P16, -23M25, -23P21, -29M32, -29P29, -36P36, -48M50, -48M48.

Straight PM Elbow: Cat. Nos. PMGOB/G-07P07, -10M16, 10M20, -10P09, -12M16, -12M20, -12P11, -17M20, -17M25, -17P13, -17P16, -23M25, -23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

90° Swivelable Elbow: Cat. No. PMSOB/G-07P07.

45° Elbow: Cat. Nos. VMARB/G-10M16, -10P09, -12M16, -12M20, -12P11, -17M20, -17M25, -17P13, -17P16, -23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

Smooth Tube Adapters: Cat. Nos. VMSVB/G-12/18, -17/20, -17/22, -17/25, -23/28, -29/32, -29/37, -36/40, -36/47, -48/59.

90° Elbow: Cat. Nos. VMBRB/G-10M16, -10M20, -10P09, -10P11, -12M16, -12M20, -12P11, -17M20, -17M25, -17P13, -17P16, -23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

Straight VM Connectors: Cat. Nos. VMGRB/G-10M16, -10M20, -10P09, -12M16, -12M20, -12P11, -17M20, -17M25, -17P13, -17P16, -23M25, -23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

45° Elbow: Cat. Nos. VPARB/G-10M16, -10M20, -10P09, -10G01, -12M16, -12M20, -12P11, -12G01, -17M20, -17M25, -17P16, -17G02, -23M25, -23M32, -23P21, -23G03, -29M32, -29M40, -29P29, -29G04, -36M40, -36M50, -36P36, -36G05, -48M50, -48M63, -48P48, -48G07.

90° Elbow: Cat. Nos. VPBRB/G-10M16, -10M20, -10P09, -10P11, -10P13, -10G01, -12M16, -12M20, -12P11, -12P13, -12G01, -17M20, -17M25, -17P13, -17P16, -17G02, -23M25, -23M32, -23P21, -23G03, -29M32, -29M40, -29P29, -29G04, -36M40, -36M50, -36P36, -36G05, -48M650, -48M63, -48P48, -48G07.

Straight VP Connectors: Cat. Nos. VPGRB/G-10M12, -10M16, -10M20, -10P07, -10P07K, -10P09, -10P09K, -10P11, -10P11K, -10P13, -10G00, -12M16, -12M20, -12P09, -12P11, -12P11K, -12P13, -12G01, -12G02, -17M20, -17M25, -17M32, -17P11, -17P13, -17P16, -17P16K, -17P21, -17G02, -23M25, -23M32, -23P16, -23P21, -23G03, -29M32, -29M40, -29P29, -29G04, -36M40, 36M50, -36P29, -36P36, -36G05, -48M50, -48M63, -48P42, -48P48, -48G06, -48G07.

Push-In Tube Connectors: Cat. Nos. VPGVB/G-10S15, -12S19, -17S22, -23S28, -23S32, -29S37.

VP Connectors With Female Thread: Cat. Nos. VPIRB/G-10M121, -10M16, -10M181, -10P07, -10P09, -10U05, -10U07, -10G00, -12M16, -12M20, -12P11, -12P13, -12U05, -12U06, -12U07, -12U09, -12U10, -12G01, -12G02, -17M20, -17M25, -17P13, -17P16, -17U07, -17U09, -17U10, -17U11, -17U14, -17U17, -17G02, -23M25, -23M32, -23P21, -23U14, -23U17, -23U18, -23G03, -29M32, -29M40, -29P29, -29U24, -29G04, -36M40, -36M50, -36P36, -48M50, -48M63, -48P48.

Thermoplastic tubings, Cat. Nos. PARFB-17G, PARFB-23G, PARFB-29G, PARFB-36G, PARFB-48G, PA-RFB-52G.

Fittings

45° Elbow: Cat. Nos. PAAOB/G-07M101, -07M12, -07M16, -07M20, -07P07, -07P09, -07P11, -07P13, -07G00, -10P09, -12P11, -17P16, -23P21, -29P29.

90° Elbow Flange: Cat. Nos. PAFOB/G-17, -23, -29, -36, -48.

Straight PA-Connectors: Cat. Nos. PAGOB/G-07S13, -07M101, -07M12, -07M16, -07M20, -07P07, -07P09, -07P11, -07P13, -07G00, -10S15, -10M12, -10M16, -10M20, -10M20K, -10P07, -10P07K, -10P09, -10P09K, -10P11, -10P11K, -10P13, -12S19, -12M16, -12M20, -12P09, -12P11, -12P11K, -12P13, 12G02, -17S22, -17M20, -17M25, -17M32, -17P11, -17P13, -17P16, -17P16K, -17P21, -17G02, -23S28, -23S32, -23M25, -23M32, -23P16, -23P21, -29S37, -29M32, -29M40, -29P29, -36M40, -36M50, -36P29, -36P36, -48M50, -48M63, -48P42, -48P48, -52.

Connectors with Female Thread: Cat. Nos. PAIOB/G-07M081, -07M121, -07M16, -07P07, -07U05, -10M121, -10M16, -10M181, -10P07, -10P09, -10U05, -10U07, 10G00, -12M16, -12M20, -12P11, -12P13, -12U05, -12U06, -12U07, -12U09, -12U10, -12G01, -12G02, -17M20, -17P13, -17P16, -17U07, -17U09, -17U10, -17U11, -17U14, -17U17, -17G02, -23M25, -23P21, -23U14, -23U17, -23U18, -23G03, -29M32, -29P29, -29U18B, -29U24, -29G04, -36M40, -36P36, -48M50, -48P48.

90° Swivelable Elbow: Cat. Nos. PASOB/G-07M101, -07M12, -07M16, -07M20, -07P07, -07P09, -07P11, -07P13, -17M25, -17P16, -23M32, -23P21, -52, -70, -95. (Not for use with the PURMB, PURVB and PURRB series of tubing).

90° Elbow: Cat. Nos. PAWOB/G-07P07, -10M12, -10M16, -10M20, -10P07, -10P09, -10P11, -10P11K, -10P13, -12M16, -12M20, -12P09, -12P11, -12P13, -17M20, -17M25, -17P13, -17P16, -17G02, -23M25, -23P21, -29M32, -29P29, -29S37, -36M40, -36P36, -48M50, -48P48, -52, -70.

45° Elbow: Cat. Nos. PMAOB/G-07P07, -10P09, -12P11, -17P16, -23P21, -29P29.

Straight PM-Connectors: Cat. Nos. PMGOB/G-07P07, -10M16, 10M20, -10P09, -12M16, -12M20, -12P11, -17M20, -17M25, -17P13, -17P16, -23M25, -23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

90° Swivelable Elbow: Cat. No. PMSOB/G-07P07.

90° Elbow: Cat. Nos. PMWOB/G-10P09, -12M16, -12P11, -17M20, -17P13, -17P16, -23M25, 23P21, -29M32, -29P29, -36M40, -36P36, -48M50, -48P48.

45° Elbow: Cat. Nos. VMARB/G-10M16, -10P09, -12M16, -12M20, -12P11, -17M20, -17M25, -17P13, -17P16, -23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

90° Elbow: Cat. Nos. VMBRB/G-10M16, -10M20, -10P09, -10P11, -12M16, -12M20, -12P11, -17M20, -17P25, -17P13, -17P16, -23M32, -23P21, 29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

Straight VM-Connectors: Cat. Nos. VMGRB/G-10M16, -10M20, -10P09, -12M16, -12M20, -12P11, 17M20, -17M25, -17P13, -17P16, -23M25, 23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

Smooth Tube Adapters: Cat. Nos. VMSVB/G-12/18, -17/20, -17/22, -17/25, -23/28, -29/32, -29/37, -36/40, -36/47, -48/59.

45° Elbow: Cat. Nos. VPARB/G-10M16, -10M20, -10P09, -10G01, -12M16, -12M20, -12P11, -12G01, -17M20, -17M25, -17P16, -17G02, -23M25, -23M32, -23P21, -23G03, -29M32, -29M40, -29P29, -29G04, -36M40, -36M50, -36P36, -36G05, -48M50, -48M63, -48P48, -48G07.

90° Elbow: Cat. Nos. VPBRB/G-10M16, -10M20, -10P09, -10P11, -10P13, -10G01, -12M16, -12M20, -12P11, -12P13, -12G01, -17M20, -17M25, -17P13, -17P16, -17G02, -23M25, -23M32, -23P21, -23G03, -29M32, -29M32, -29M40, -29P29, -29G04, -36M40, -36M50, -36P36, -36G05, -48M50, 48M63, -48P48, -48G07.

Straight VP-Connectors: Cat. Nos. VPGRB/G-10M12, -10M16, -10M20, -10P07, -10P07K, -10P09, -10P09K, -10P11, -10P11K, -10P13, -10G00, -12M16, -12M20, -12P09, -12P11, -12P11K, -12P13, -12G01, -12G02, -17M20, -17M25, -17M32, -17P11, -17P13, -17P16, -17P16K, -17P21, -17G02, -23M25, -23M32, -23P16, -23P21, -23G03, -29M32, -29M40, -29P29, -29G04, -36M40, -36M50, -36P29, -36P36, -36G05, -48M50, -48M63, -48P42, -48P48, -48G06, -48G07.

Push-In Tube Connectors: Cat. Nos. VPGVB/G-10S15, -12S19, -17S22, -23S28, -23S32, -29S37.

VP Connectors with Female Thread: Cat. Nos. VPIRB/G-10M121, -10M16, -10M181, -10P07, -10P09, -10U05, -10U07, -10G00, -12M16, -12M20, -12P11, -12P13, -12U05, -12U06, -12U07, -12U09, -12U10, -12G01, -12G02, -17M20, -17M25, -17P13, -17P16, -17U07, -17U09, -17U10, -17U11, -17U14, -17U17, -17G02, -23M25, -23M32, -23P21, -23U14, -23U17, -23U18, -23G03, -29M32, -29M40, -29P29, -29U24, -29G04, -36M40, -36M50, -36P36, -48M50, -48M63, -48P48.

Thermoplastic tubings, Cat. Nos. PARE#+-10F, -12F, -14F, -17F, -23F, -29F, -36F, -48F, -52G, PAREB+ -70G only.

Fittings

45° Elbow: Cat. Nos. PAAOB/G-07M101, -07M12, -07M16, -07M20, -07P07, -07P09, -07P11, -07P13, -07G00, -10P09, -12P11, -17P16, -23P21, -29P29.

90° Elbow Flange: Cat. Nos. PAFOB/G-17, -23, -29, -36, -48.

Straight PA-Connectors: Cat. Nos. PAGOB/G-07S13, -07M101, -07M12, -07M16, -07M20, -07P07, -07P09, -07P11, -07P13, -07G00, -10S15, -10M12, -10M16, -10M20, -10M20K, -10P07, -10P07K, -10P09, 10P09K, -10P11, -10P11K, -10P13, -12S19, -12M16, -12M20, -12P09, -12P11, -12P11K, -12P13, -12G02, -17S22, -17M20, -17M25, -17M32, -17P11, -17P13, -17P16, -17P16K, -17P21, -17G02, -23S28, -23S32, -23M25, -23M32, -23P16, -23P21, -29S37, -29M32, -29M40, -29P29, -36M40, -36M50, -36P29, -36P36, -48M50, -48M63, -48P42, -48P48, -52, -70, -95.

Connectors with Female Thread: Cat. Nos. PAIOB/G-07M081, -07M121, -07M16, -07P07, -07U05, -10M121, -10M16, -10M181, -10P07, -10P09, -10U05, -10U07, -10G00, -12M16, -12M20, -12P11, -12P13, -12U05, -12U06, -12U07, -12U09, -12U10, -12G01, -12G02, -17M20, -17P13, -17P16, -17U07, -17U09, -17U10, -17U11, -17U14, -17U17, -17G02, -23M25, -23P21, -23U14, -23U17, -23U18, -23G03, -29M32, -29P29, -29U18B, -29U24, -29G04, -36M40, -36P36, -48M50, -48P48.

90° Swivelable Elbow: Cat. Nos. PASOB/G-07M101, -07M12, -07M16, -07M20, -07P07, -07P09, -07P11, -07P13, -17M25, -17P16, -23M32, -23P21, -52, -70, 95.

90° Elbow: Cat. Nos. PAWOB/G-07P07, -10M12, -10M16, -10M20, -10P07, -10P09, -10P11, -10P11K, -10P13, -12M16, -12M20, -12P09, -12P11, -12P13, -17M20, -17M25, -17P13, -17P16, -17G02, -23M25, -23P21, -29M32, -29P29, -29S37, -36M40, -36P36, -48M50, -48P48, -52, -70, -95.

45° Elbow: Cat. Nos. PMAOB/G-07P07, -10P09, -12P11, -17P16, -23P21, -29P29.

Straight PM Elbow: Cat. Nos. PMGOB/G-07P07, -10M16, -10M20, -10P09, -12M16, -12M20, -12P11, -17M20, -17M25, -17P13, -17P16, -23M25, -23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

90° Swivelable Elbow: Cat. No. PMSOB/G-07P07.

90° Elbow: Cat. Nos. PMWOB/G-10P09, -12M16, -12P11, -17M20, -17P13, -17P16, -23M25, -23P21, -29M32, -29P29, -36M40, -36P36, -48M50, -48P48.

45° Elbow: Cat. Nos. VMARB/G-10M16, -10P09, -12M16, -12M20, -12P11, -17M20, -17M25, -17P13, -17P16, -23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

90° Elbow: Cat. Nos. VMBRB/G-10M16, -10P09, -10P11, -12M16, -12M20, -12P11, -17M20, -17M25, -17P13, -17P16, -23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

Straight VM-Connectors: Cat. Nos. VMGRB/G-10M16, -10M20, -10P09, -12M16, -12M20, -12P11, -17M20, -17M25, -17P13, -17P16, -23M25, -23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

Smooth Tube Adapters: Cat. Nos. VMSVB/G-12/18, -17/20, -17/22, -17/25, -23/28, -29/32, -29/37, -36/40, -36/47, -48/59.

45° Elbow: Cat. Nos. VPARB/G-10M16, -10M20, -10P09, -10G01, -12M16, -12M20, -12P11, -12G01, -17M20, -17M25, -17P16, -17G02, -23M25, -23M32, -23P21, -23G03, -29M32, -29M40, -29P29, -29G04, -36M40, -36M50, -36P36, -36G05, -48M50, -48M63, -48P48, -48G07.

90° Elbow: Cat. Nos. VPBRB/G-10M16, -10M20, -10P09, -10P11, -10P13, -10G01, -12M16, -12M20, -12P11, -12P13, -12G01, -17M20, -17M25, -17P13, -17P16, -17G02, -23M25, -23M32, -23P21, -23G03, -29M32, -29M40, -29P29, -29G04, -36M40, -36M50, -36P36, -36G05, -48M50, -48M63, -48P48, -48G07.

Straight VP-Connectors: Cat. Nos. VPGRB/G-10M12, -10M16, -10M20, -10P07, -10P07K, -10P09, -10P09K, -10P11, -10P11K, -10P13, -10G00,

-12M16, -12M20, -12P09,-12P11, -12P11K, -12P13, -12G01, -12G02, -17M20, -17M25, -17M32, -17P11, -17P13, -17P16, -17P16K, -17P21, -17G02, -23M25, -23M32, -23P16, -23P21,-23G03, -29M32, -29M40, -29P29, -29G04, -36M40, -36M50, -36P29, -36P36, -36G05, -48M50, -48M63, -48P42, -48P48, -48G06, -48G07.

Push-In Tube Connectors: Cat. Nos. VPGVB/G-10S15, -12S19, -17S22, -23S28, -23S32, -29S37.


VP Connectors with Female Thread: Cat. Nos. VPIRB/G-10M121, -10M16, -10M181, -10P07, -10P09, -10U05, -10U07, -10G00,-12M16, -12M20, -12P11, -12P13, -12U05, -12U06, -12U07, -12U09, -12U10, -12G01,-12G02, -17M20, -17M25, -17P13, -17P16, -17U07, -17U09, -17U10, -17U11, -17U14, -17U17, -17G02, -23M25, -23M32, -23P21, -23U14, -23U17, -23U18, -23G03, -29M32, -29M40, -29P29, -29U24, -29G04, -36M40, -36M50, -36P36, -48M50, -48M63, -48P48.

Fittings provided with suitable seals and washers.

*Can be letter B or G depending on color Black or Grey.

Replaced by a letter B or G to indicate the color black or gray, respectively.



Marking: Company name, catalog designation, temperature rating and the Recognized Component Mark for Canada  on the product or smallest unit package.

Last Updated on 2010-07-29

[Questions?](#)

[Print this page](#)

[Notice of Disclaimer](#)

[Page Top](#)

Copyright © 2010 Underwriters Laboratories Inc.®

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2010 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.





YDRQ2.E168970 Tubing, Mechanical Protection - Component

[Page Bottom](#)

Tubing, Mechanical Protection - Component

[See General Information for Tubing, Mechanical Protection - Component](#)

REIKU GMBH

E168970

ROBERT-BOSCH-STRASSE 3
51674 WIEHL-BOMIG, GERMANY

Thermoplastic tubings, Cat. Nos. PARNB-17F, -23G, -29G, -36G, -48G, -70G, -95G, PARNG-17F, -23G, -29G, -36G, -48G, -70G, -95G, PARVB-17G, -23G, -29G, -36G, -48G, -70G, -95G, PARVG-17G, -23G, -29G, -36G, -48G, -70G, -95G.

Fittings

45° Elbow: Cat. Nos. PAAOB/G-07M101, -07M12, -07M16, -07M20, -07P07, -07P09, -07P11, -07P13, -07G00, -10P09, -12P11, 17P16, -23P21, -29P29.

90° Elbow Flange: Cat. Nos. PAFOB/G-17, -23, -29, -36, -48.

Straight PA Connectors: Cat. Nos. PAGOB/G-07S13, -07M101, -07M12, -07M16, -07M20, -07P07, -07P09, -07P11, -07P13, -07G00, -10S15, -10M12, -10M16, -10M20, -10M20K, -10P07, -10P07K, -10P09, -10P09K, -10P11, -10P13, -12S19, -12M16, -12M20, -12P09, -12P11, -12P11K, -12P13, -12G02, -17S22, -17M20, -17M25, -17M32, -17P11, -17P13, -17P16, -17P16K, -17P21, -17G02, -23S28, -23S32, -23M25, -23M32, -23P16, -23P21, -29S37, -29M32, -29M40, -29P29, -36M40, -36M50, -36P29, -36P36, -48M50, -48M63, -48P42, -48P48, -52, -70, -95.

Connectors with Female Thread: Cat. Nos. PAIOB/G-07M081, -07M121, -07M16, -07P07, -07U05, -10M121, -10M16, -10M181, -10P07, -10P09, -10U05, -10U07, -10G00, -12M16, -12M20, -12P11, -12P13, -12U05, -12U06, -12U07, -12U09, -12U10, -12G01, -12G02, -17M20, -17P13, -17P16, -17U07, -17U09, -17U10, -17U11, -17U14, -17U17, -17G02, -23M25, -23P21, -23U14, -23U17, -23U18, -23G03, -29M32, -29P29, -29U18B, -29U24, -29G04, -36M40, -36P36, -48M50, -48P48.

90° Swivelable Elbow: Cat. Nos. PASOB/G-07M101, -07M12, -07M16, -07M20, -07P07, -07P09, -07P11, -07P13, -10M16, -10M20, -12M20, -17M25, -17P16, -23M32, -23P21, -52, -70, -95.

90° Elbow: Cat. Nos. PAWOB/G-07P07, -10M12, -10M16, -10M20, -10P07, -10P09, -10P11, -10P11K, -10P13, -12M16, -12M20, -12P09, -12P11, -12P13, -17M20, -17M25, -17O13, -17P16, -17G02, -23M25, -23P21, -29M32, -29P29, -29S37, -36M40, -36P36, -48M50, -48P48, -52, -70, -95.

45° Elbow: Cat. Nos. PMAOB/G-07P07, -10P09, -12P11, -17P16, -23P21, -29P29.

90° Elbow: Cat. Nos. PMWOB/G-10P09, -12M16, -12P11, -17M20, -17P13, -17P16, -23M25, -23P21, -29M32, -29P29, -36M40, -36P36, -48M50, -48P48.

Straight PA Connectors: Cat. Nos. PMGOB/G-07P07, -10M16, -10M20, -10P09, -12M16, -12M20, -12P11, 17M20, -17M25, -17P13, 17P16, -23M25, -23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

90° Swivelable Elbow: Cat. Nos. PMSOB/G-07P07.

45° Elbow: Cat. Nos. VMARB/G-10M16, -10P09, -12M16, -12M20, -12P11, -17M20, -17M25, -17P13, -17P16, -23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

90° Elbow: Cat. Nos. VMBRB/G-10M16, -10M20, -10P09, -10P11, -12M16, -12M20, -12P11, -17M20, -17M25, -17P13, -17P16, -23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

Straight VM Connectors: Cat. Nos. VMGRB/G-10M16, -10M20, -10P09, -12M16, -12M20, -12P11, -17M20, -17M25, -17P13, -17P16, -23M25, -23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

Smooth Tube Adapters: Cat. Nos. VMSVB/G-12/18, -17/20, -17/22, -17/25, 23/28, -29/32, -29/37, -36/40, -36/47, -48/59.

45° Elbow: Cat. Nos. VPARB/G-10M16, -10M20, -10P09, -10G01, -12M16, -12M20, -12P11, -12G01, -17M20, -17M25, -17P16, -17G02, -23M25, -23M32, -23P21, -23G03, -29M32, -29M40, -29P29, -29G04, -36M40, -36M50, -36P36, -36G05, -48M50, -48M63, -48P48, -48G07.

90° Elbow: Cat. Nos. VPBRB/G-10M16, -10M20, -10P09, -10P11, -10P13, -10G01, -12M16, -12M20, -12P11, -12P13, -12G01, -17M20, -17M25, -17P13, -17P16, -17G02, -23M25, -23M32, -23P21, -23G03, -29M32, -29M40, -29P29, -29G04, -36M40, -36M50, -36P36, -36G05, -48M50, -48M63, -48P48, -48G07, -48PG07.

Straight VW Connectors: Cat. Nos. VPGRB/G-10M12, -10M16, -10M20, -10P07, -10P07K, -10P09, -10P09K, -10P11, -10P11K, -10P13, -10G00, -12M16, -12M20, -12P09, -12P11, -12P11K, -12P13, -12G01, -12G02, -17M20, -17M25, -17M32, -17P11, -17P13, -17P16, -17P16K, -17P21, -17G02, -23M25, -23M32, -23P16, -23P21, -23G03, -29M32, -29M40, -29P29, -29G04, -36M40, -36M50, -36P29, -36P36, -36G05, -48M50, -48M63, -48P42, -48P48, -48G06, -48G07.

Push-In Tube Connectors: Cat. Nos. VPGVB/G-10S15, -12S19, -17S22, -23S28, -23S32, -29S37.

VP Connectors with Female Thread: Cat. Nos. VPIRB/G-10M121, -10M16, -10M181, -10P07, -10P09, -10U05, -10U07, -10G00, -12M16, -12M20, -12P11, -12P13, -12U05, -12U06, -12U07, -12U09, -12U10, -12G01, -12G02, -17M20, -17M25, -17P13, -17P16, -17U07, -17U09, -17U10, -17U11, -17U14, -17U17, -17G02, -23M25, -23M32, -23P21, -23U14, -23U17, -23U18, -23G03, -29M32, -29M40, -29P29, -29U24, -29G04, -36M40, -36M50, -36P36, -48M50, -48M63, -48P48.

Thermoplastic tubings, Cat. Nos. PAREB-17F, -23F, -29F, -36F, -48F; Cat. Nos. PAREG-17F, -23F, -29F, -36F, -48F.

Fittings

45° Elbow: Cat. Nos. PAAOB/G-07M101, -07M12, -07M16, -07M20, -07P07, -07P09, -07P11, -07P13, -07G00, -10P09, -12P11, -17P16, -23P21, -29P29.

90° Elbow Flange: Cat. Nos. PAFOB/G-17, -23, -29, -36, -48.

Straight PA Connectors: Cat. Nos. PAGOB/G-07S13, -07M101, -07M12, -07M16, -07M20, -07P07, -07P09, -07P11, -07P13, -07G00, -10S15, -10M12, -10M16, -10M20, -10M20K, -10P07, -10P07K, -10P09, -10P09K, -10P11, -10P11K, -10P13, -12S19, -12M16, -12M20, -12P09, -12P11, -12P11K, -12P13, -12G02, -17S22, -17M20, -17M25, -17M32, -17P11, -17P13, -17P16, 17P16K, -17P21, -17G02, -23S28, -23S32, -23M25, -23M32, -23P16, -23P21, -29S37, -29M32, -29M40, -29P29, -36M40, -36M50, -36P29, -36P36, -48M50, -48M63, -48P42, -48P48.

Connectors with Female Thread: Cat. Nos. PAIOB/G-07M081, -07M121, -07M16, -07P07, -07U05, -10M121, -10M16, -10M181, -10P07, -10P09, -10U05, -10U07, 10G00, -12M16, -12M20, -12P11, -12P13, -12U05, -12U06, -12U07, -12U09, -12U10, -12G01, -12G02, -17M20, -17P13, -17P16, -17U07, -17U09, -17U10, -17U11, -17U14, -17U17, -17G02, -23M25, -23P21, -23U14, -23U17, -23U18, -23G03, -29M32, -29P29, -29U18B, -29U24, -29G04, -36M40, -36P36, -48M50, -48P48.

*90° Swivelable Elbow: Cat. Nos. PASOB/G-07M101, -07M12, -07M16, -07M20, -07P07, -07P09, -07P11, -07P13, -17M25, -17P16, -23M32, -23P21, -52, -70.

90° Elbow: Cat. Nos. PAWOB/G-07P07, -10M12, -10M16, -10M20, -10P07, -10P09, -10P11, -10P11K, -10P13, -12M16, -12M20, -12P09, -12P11, -12P13, -17M20, -17M25, -17P13, -17P16, -17G02, -23M25, -23P21, -29M32, -29M29, -29S37, -36M40, -36P36, -48M50, -48P48, -52, -70.

45° Elbow: Cat. Nos. PMAOB/G-07P07, -10P09, -12P11, -17P16, -23P21, -29P29.

90° Elbow: Cat. Nos. PMWOB/G-10P09, -12M16, -12P11, -17M20, -17P13, -17P16, -23M25, -23P21, -29M32, -29P29, -36P36, -48M50, -48M48.

Straight PM Elbow: Cat. Nos. PMGOB/G-07P07, -10M16, 10M20, -10P09, -12M16, -12M20, -12P11, -17M20, -17M25, -17P13, -17P16, -23M25, -23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

90° Swivelable Elbow: Cat. No. PMSOB/G-07P07.

45° Elbow: Cat. Nos. VMARB/G-10M16, -10P09, -12M16, -12M20, -12P11, -17M20, -17M25, -17P13, -17P16, -23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

Smooth Tube Adapters: Cat. Nos. VMSVB/G-12/18, -17/20, -17/22, -17/25, -23/28, -29/32, -29/37, -36/40, -36/47, -48/59.

90° Elbow: Cat. Nos. VMBRB/G-10M16, -10M20, -10P09, -10P11, -12M16, -12M20, -12P11, -17M20, -17M25, -17P13, -17P16, -23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

Straight VM Connectors: Cat. Nos. VMGRB/G-10M16, -10M20, -10P09, -12M16, -12M20, -12P11, -17M20, -17M25, -17P13, -17P16, -23M25, -23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

45° Elbow: Cat. Nos. VPARB/G-10M16, -10M20, -10P09, -10G01, -12M16, -12M20, -12P11, -12G01, -17M20, -17M25, -17P16, -17G02, -23M25, -23M32, -23P21, -23G03, -29M32, -29M40, -29P29, -29G04, -36M40, -36M50, -36P36, -36G05, -48M50, -48M63, -48P48, -48G07.

90° Elbow: Cat. Nos. VPBRB/G-10M16, -10M20, -10P09, -10P11, -10P13, -10G01, -12M16, -12M20, -12P11, -12P13, -12G01, -17M20, -17M25, -17P13, -17P16, -17G02, -23M25, -23M32, -23P21, -23G03, -29M32, -29M40, -29P29, -29G04, -36M40, -36M50, -36P36, -36G05, -48M650, -48M63, -48P48, -48G07.

Straight VP Connectors: Cat. Nos. VPGRB/G-10M12, -10M16, -10M20, -10P07, -10P07K, -10P09, -10P09K, -10P11, -10P11K, -10P13, -10G00, -12M16, -12M20, -12P09, -12P11, -12P11K, -12P13, -12G01, -12G02, -17M20, -17M25, -17M32, -17P11, -17P13, -17P16, -17P16K, -17P21, -17G02, -23M25, -23M32, -23P16, -23P21, -23G03, -29M32, -29M40, -29P29, -29G04, -36M40, 36M50, -36P29, -36P36, -36G05, -48M50, -48M63, -48P42, -48P48, -48G06, -48G07.

Push-In Tube Connectors: Cat. Nos. VPGVB/G-10S15, -12S19, -17S22, -23S28, -23S32, -29S37.

VP Connectors With Female Thread: Cat. Nos. VPIRB/G-10M121, -10M16, -10M181, -10P07, -10P09, -10U05, -10U07, -10G00, -12M16, -12M20, -12P11, -12P13, -12U05, -12U06, -12U07, -12U09, -12U10, -12G01, -12G02, -17M20, -17M25, -17P13, -17P16, -17U07, -17U09, -17U10, -17U11, -17U14, -17U17, -17G02, -23M25, -23M32, -23P21, -23U14, -23U17, -23U18, -23G03, -29M32, -29M40, -29P29, -29U24, -29G04, -36M40, -36M50, -36P36, -48M50, -48M63, -48P48.

Thermoplastic tubings, Cat. Nos. PARFB-17G, PARFB-23G, PARFB-29G, PARFB-36G, PARFB-48G, PA-RFB-52G.

Fittings

45° Elbow: Cat. Nos. PAAOB/G-07M101, -07M12, -07M16, -07M20, -07P07, -07P09, -07P11, -07P13, -07G00, -10P09, -12P11, -17P16, -23P21, -29P29.

90° Elbow Flange: Cat. Nos. PAFOB/G-17, -23, -29, -36, -48.

Straight PA-Connectors: Cat. Nos. PAGOB/G-07S13, -07M101, -07M12, -07M16, -07M20, -07P07, -07P09, -07P11, -07P13, -07G00, -10S15, -10M12, -10M16, -10M20, -10M20K, -10P07, -10P07K, -10P09, -10P09K, -10P11, -10P11K, -10P13, -12S19, -12M16, -12M20, -12P09, -12P11, -12P11K, -12P13, 12G02, -17S22, -17M20, -17M25, -17M32, -17P11, -17P13, -17P16, -17P16K, -17P21, -17G02, -23S28, -23S32, -23M25, -23M32, -23P16, -23P21, -29S37, -29M32, -29M40, -29P29, -36M40, -36M50, -36P29, -36P36, -48M50, -48M63, -48P42, -48P48, -52.

Connectors with Female Thread: Cat. Nos. PAIOB/G-07M081, -07M121, -07M16, -07P07, -07U05, -10M121, -10M16, -10M181, -10P07, -10P09, -10U05, -10U07, 10G00, -12M16, -12M20, -12P11, -12P13, -12U05, -12U06, -12U07, -12U09, -12U10, -12G01, -12G02, -17M20, -17P13, -17P16, -17U07, -17U09, -17U10, -17U11, -17U14, -17U17, -17G02, -23M25, -23P21, -23U14, -23U17, -23U18, -23G03, -29M32, -29P29, -29U18B, -29U24, -29G04, -36M40, -36P36, -48M50, -48P48.

90° Swivelable Elbow: Cat. Nos. PASOB/G-07M101, -07M12, -07M16, -07M20, -07P07, -07P09, -07P11, -07P13, -17M25, -17P16, -23M32, -23P21, -52, -70, -95. (Not for use with the PURMB, PURVB and PURRB series of tubing).

90° Elbow: Cat. Nos. PAWOB/G-07P07, -10M12, -10M16, -10M20, -10P07, -10P09, -10P11, -10P11K, -10P13, -12M16, -12M20, -12P09, -12P11, -12P13, -17M20, -17M25, -17P13, -17P16, -17G02, -23M25, -23P21, -29M32, -29P29, -29S37, -36M40, -36P36, -48M50, -48P48, -52, -70.

45° Elbow: Cat. Nos. PMAOB/G-07P07, -10P09, -12P11, -17P16, -23P21, -29P29.

Straight PM-Connectors: Cat. Nos. PMGOB/G-07P07, -10M16, 10M20, -10P09, -12M16, -12M20, -12P11, -17M20, -17M25, -17P13, -17P16, -23M25, -23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

90° Swivelable Elbow: Cat. No. PMSOB/G-07P07.

90° Elbow: Cat. Nos. PMWOB/G-10P09, -12M16, -12P11, -17M20, -17P13, -17P16, -23M25, 23P21, -29M32, -29P29, -36M40, -36P36, -48M50, -48P48.

45° Elbow: Cat. Nos. VMARB/G-10M16, -10P09, -12M16, -12M20, -12P11, -17M20, -17M25, -17P13, -17P16, -23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

90° Elbow: Cat. Nos. VMBRB/G-10M16, -10M20, -10P09, -10P11, -12M16, -12M20, -12P11, -17M20, -17P25, -17P13, -17P16, -23M32, -23P21, 29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

Straight VM-Connectors: Cat. Nos. VMGRB/G-10M16, -10M20, -10P09, -12M16, -12M20, -12P11, 17M20, -17M25, -17P13, -17P16, -23M25, 23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

Smooth Tube Adapters: Cat. Nos. VMSVB/G-12/18, -17/20, -17/22, -17/25, -23/28, -29/32, -29/37, -36/40, -36/47, -48/59.

45° Elbow: Cat. Nos. VPARB/G-10M16, -10M20, -10P09, -10G01, -12M16, -12M20, -12P11, -12G01, -17M20, -17M25, -17P16, -17G02, -23M25, -23M32, -23P21, -23G03, -29M32, -29M40, -29P29, -29G04, -36M40, -36M50, -36P36, -36G05, -48M50, -48M63, -48P48, -48G07.

90° Elbow: Cat. Nos. VPBRB/G-10M16, -10M20, -10P09, -10P11, -10P13, -10G01, -12M16, -12M20, -12P11, -12P13, -12G01, -17M20, -17M25, -17P13, -17P16, -17G02, -23M25, -23M32, -23P21, -23G03, -29M32, -29M32, -29M40, -29P29, -29G04, -36M40, -36M50, -36P36, -36G05, -48M50, 48M63, -48P48, -48G07.

Straight VP-Connectors: Cat. Nos. VPGRB/G-10M12, -10M16, -10M20, -10P07, -10P07K, -10P09, -10P09K, -10P11, -10P11K, -10P13, -10G00, -12M16, -12M20, -12P09, -12P11, -12P11K, -12P13, -12G01, -12G02, -17M20, -17M25, -17M32, -17P11, -17P13, -17P16, -17P16K, -17P21, -17G02, -23M25, -23M32, -23P16, -23P21, -23G03, -29M32, -29M40, -29P29, -29G04, -36M40, -36M50, -36P29, -36P36, -36G05, -48M50, -48M63, -48P42, -48P48, -48G06, -48G07.

Push-In Tube Connectors: Cat. Nos. VPGVB/G-10S15, -12S19, -17S22, -23S28, -23S32, -29S37.

VP Connectors with Female Thread: Cat. Nos. VPIRB/G-10M121, -10M16, -10M181, -10P07, -10P09, -10U05, -10U07, -10G00, -12M16, -12M20, -12P11, -12P13, -12U05, -12U06, -12U07, -12U09, -12U10, -12G01, -12G02, -17M20, -17M25, -17P13, -17P16, -17U07, -17U09, -17U10, -17U11, -17U14, -17U17, -17G02, -23M25, -23M32, -23P21, -23U14, -23U17, -23U18, -23G03, -29M32, -29M40, -29P29, -29U24, -29G04, -36M40, -36M50, -36P36, -48M50, -48M63, -48P48.

Thermoplastic tubings, Cat. Nos. PARE#+-10F, -12F, -14F, -17F, -23F, -29F, -36F, -48F, -52G, PAREB+ -70G only.

Fittings

45° Elbow: Cat. Nos. PAAOB/G-07M101, -07M12, -07M16, -07M20, -07P07, -07P09, -07P11, -07P13, -07G00, -10P09, -12P11, -17P16, -23P21, -29P29.

90° Elbow Flange: Cat. Nos. PAFOB/G-17, -23, -29, -36, -48.

Straight PA-Connectors: Cat. Nos. PAGOB/G-07S13, -07M101, -07M12, -07M16, -07M20, -07P07, -07P09, -07P11, -07P13, -07G00, -10S15, -10M12, -10M16, -10M20, -10M20K, -10P07, -10P07K, -10P09, 10P09K, -10P11, -10P11K, -10P13, -12S19, -12M16, -12M20, -12P09, -12P11, -12P11K, -12P13, -12G02, -17S22, -17M20, -17M25, -17M32, -17P11, -17P13, -17P16, -17P16K, -17P21, -17G02, -23S28, -23S32, -23M25, -23M32, -23P16, -23P21, -29S37, -29M32, -29M40, -29P29, -36M40, -36M50, -36P29, -36P36, -48M50, -48M63, -48P42, -48P48, -52, -70, -95.

Connectors with Female Thread: Cat. Nos. PAIOB/G-07M081, -07M121, -07M16, -07P07, -07U05, -10M121, -10M16, -10M181, -10P07, -10P09, -10U05, -10U07, -10G00, -12M16, -12M20, -12P11, -12P13, -12U05, -12U06, -12U07, -12U09, -12U10, -12G01, -12G02, -17M20, -17P13, -17P16, -17U07, -17U09, -17U10, -17U11, -17U14, -17U17, -17G02, -23M25, -23P21, -23U14, -23U17, -23U18, -23G03, -29M32, -29P29, -29U18B, -29U24, -29G04, -36M40, -36P36, -48M50, -48P48.

90° Swivelable Elbow: Cat. Nos. PASOB/G-07M101, -07M12, -07M16, -07M20, -07P07, -07P09, -07P11, -07P13, -17M25, -17P16, -23M32, -23P21, -52, -70, 95.

90° Elbow: Cat. Nos. PAWOB/G-07P07, -10M12, -10M16, -10M20, -10P07, -10P09, -10P11, -10P11K, -10P13, -12M16, -12M20, -12P09, -12P11, -12P13, -17M20, -17M25, -17P13, -17P16, -17G02, -23M25, -23P21, -29M32, -29P29, -29S37, -36M40, -36P36, -48M50, -48P48, -52, -70, -95.

45° Elbow: Cat. Nos. PMAOB/G-07P07, -10P09, -12P11, -17P16, -23P21, -29P29.

Straight PM Elbow: Cat. Nos. PMGOB/G-07P07, -10M16, -10M20, -10P09, -12M16, -12M20, -12P11, -17M20, -17M25, -17P13, -17P16, -23M25, -23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

90° Swivelable Elbow: Cat. No. PMSOB/G-07P07.

90° Elbow: Cat. Nos. PMWOB/G-10P09, -12M16, -12P11, -17M20, -17P13, -17P16, -23M25, -23P21, -29M32, -29P29, -36M40, -36P36, -48M50, -48P48.

45° Elbow: Cat. Nos. VMARB/G-10M16, -10P09, -12M16, -12M20, -12P11, -17M20, -17M25, -17P13, -17P16, -23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

90° Elbow: Cat. Nos. VMBRB/G-10M16, -10P09, -10P11, -12M16, -12M20, -12P11, -17M20, -17M25, -17P13, -17P16, -23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

Straight VM-Connectors: Cat. Nos. VMGRB/G-10M16, -10M20, -10P09, -12M16, -12M20, -12P11, -17M20, -17M25, -17P13, -17P16, -23M25, -23M32, -23P21, -29M32, -29M40, -29P29, -36M40, -36M50, -36P36, -48M63, -48P48.

Smooth Tube Adapters: Cat. Nos. VMSVB/G-12/18, -17/20, -17/22, -17/25, -23/28, -29/32, -29/37, -36/40, -36/47, -48/59.

45° Elbow: Cat. Nos. VPARB/G-10M16, -10M20, -10P09, -10G01, -12M16, -12M20, -12P11, -12G01, -17M20, -17M25, -17P16, -17G02, -23M25, -23M32, -23P21, -23G03, -29M32, -29M40, -29P29, -29G04, -36M40, -36M50, -36P36, -36G05, -48M50, -48M63, -48P48, -48G07.

90° Elbow: Cat. Nos. VPBRB/G-10M16, -10M20, -10P09, -10P11, -10P13, -10G01, -12M16, -12M20, -12P11, -12P13, -12G01, -17M20, -17M25, -17P13, -17P16, -17G02, -23M25, -23M32, -23P21, -23G03, -29M32, -29M40, -29P29, -29G04, -36M40, -36M50, -36P36, -36G05, -48M50, -48M63, -48P48, -48G07.

Straight VP-Connectors: Cat. Nos. VPGRB/G-10M12, -10M16, -10M20, -10P07, -10P07K, -10P09, -10P09K, -10P11, -10P11K, -10P13, -10G00,

-12M16, -12M20, -12P09,-12P11, -12P11K, -12P13, -12G01, -12G02, -17M20, -17M25, -17M32, -17P11, -17P13, -17P16, -17P16K, -17P21, -17G02, -23M25, -23M32, -23P16, -23P21,-23G03, -29M32, -29M40, -29P29, -29G04, -36M40, -36M50, -36P29, -36P36, -36G05, -48M50, -48M63, -48P42, -48P48, -48G06, -48G07.

Push-In Tube Connectors: Cat. Nos. VPGVB/G-10S15, -12S19, -17S22, -23S28, -23S32, -29S37.

VP Connectors with Female Thread: Cat. Nos. VPIRB/G-10M121, -10M16, -10M181, -10P07, -10P09, -10U05, -10U07, -10G00,-12M16, -12M20, -12P11, -12P13, -12U05, -12U06, -12U07, -12U09, -12U10, -12G01,-12G02, -17M20, -17M25, -17P13, -17P16, -17U07, -17U09, -17U10, -17U11, -17U14, -17U17, -17G02, -23M25, -23M32, -23P21, -23U14, -23U17, -23U18, -23G03, -29M32, -29M40, -29P29, -29U24, -29G04, -36M40, -36M50, -36P36, -48M50, -48M63, -48P48.

Fittings provided with suitable seals and washers.

*Can be letter B or G depending on color Black or Grey.

Replaced by a letter B or G to indicate the color black or gray, respectively.

Marking: Company name, catalog designation and temperature rating on the tubing or on package.

Last Updated on 2010-07-29

[Questions?](#)

[Print this page](#)

[Notice of Disclaimer](#)

[Page Top](#)

Copyright © 2010 Underwriters Laboratories Inc.®

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2010 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.

